

LOG OF MEETING

CPSA 6 (b)(1) Cleared  
4/17/96  
Privileges of

**SUBJECT:** Musk Xylol

**DATE:** March 21, 1996

**TIME:** 10:00 a.m. to 12:30 p.m.

**PLACE:** Commissioner's Conference Room, U.S. Food and Drug  
Administration (FDA), 200 "C" St., S.W., Washington, DC

**ENTRY SOURCE:** Michael A. Babich, EHHE *MAB*

**COMMISSION REPRESENTATIVE:** Michael A. Babich, ESHE


**FOOD and DRUG ADMINISTRATION REPRESENTATIVES:** David Hattau,  
Karen Ekelman, Bob Bronaugh, Ronald W. Moch, Prem N. Dua, Harris  
H. Wisneski, Donald C. Havery, John Bailey, and Ron Lorentzen.

**NON-FEDERAL REPRESENTATIVES:** Emil A. Pfitzer, Research Institute  
for Fragrance Materials, and Lois Lehman-McKeeman, Procter and  
Gamble.

**Summary:**

This meeting was requested by the Research Institute for Fragrance Materials (RIFM). Dr. Pfitzer, RIFM, presented an overview of musk xylol (MX) and other nitro musk fragrances. They are used in cosmetics, toiletries, and household detergents. Substitutes are not readily available. RIFM plans to conduct a use inventory of its member companies in the spring. MX is carcinogenic in male and female mice. Musk ambrette, which is no longer used, is a male reproductive toxicant. Nitro musks have been found in the environment and in human breast milk. Dr. Lehman-McKeeman, Procter and Gamble, presented results of mechanistic studies on MX. MX resembles phenobarbital in some of its effects on the mouse liver. The role of mechanistic information in hazard identification and risk assessment was discussed. Dr. Pfitzer provided some written materials, which will be distributed by FDA. A meeting agenda and list of attendees are attached.

attachments:



Presentation on Nitromusk Fragrances:

## **Mechanistic Studies on Mouse Liver Tumors with Musk Xylene**

March 21, 1996

### **Introduction and Background (10 minutes)**

- comparative structures of nitromusks
- history of musk ambrette
- comparative toxicity of nitromusks
- occurrence in environmental media
- milk transfer study in rats
- risk assessment considerations
- carcinogenicity in B6C3F<sub>1</sub> mice
- studies supporting nongenotoxicity

### **Mechanistic Studies with Nitromusks (35 minutes)**

- enzyme induction with musk xylene
- mechanism-based inactivation of P450
- potential for amine metabolites
- significance of mouse liver tumors

### **Discussion (15 minutes)**

- scientific basis for the significance of secondary mechanisms relevant to cancer in rodents
- potential needs for further research

Name	Organization	Phone #
David Hattani	FDA/CFSAN/OPA/DHEE	202-418-3027
Karen Ekelman	"	202-418-3052
Bob Bronaugh	FDA/CFSAN/OCAC	301-594-5813
Ronald W. Moch	FDA/CFSAN/OSAS/DESS/PB	202-205-4247
Prem N. Sna	FDA/CFSAN/OSAS/DESS/PB	202-205-4123
Harris H. Wisneski	FDA/CFSAN/OCAC/DSAT	202-205-4957
Donald C. Havery	FDA/CFSAN/OCAC/DSAT	202-205-4345
Emil A. Pfitzer	RIFM	201-488-5527
Lois Lehman-McKeeman	P&G	513-627-1209
John Bailey	PDA	202-205-4530
Ron Lorentzen	FDA/CFSAN	202-205-8753
Michael Babich	CPSC	301-504-0994 x1383